








Item	Qty.	Description
1	1	38" GS210 Vertical Extrusion
2	1	38" S30 Vertical Extrusion
3	1	38" S30 Vertical Extrusion
4	2	18.8496" Z45 Curved Extrusion
5	1	21.7196" Z45 Curved Extrusion
6	2	18.8496" Z45 Curved Extrusion
7	1	21.7196" Z45 Curved Extrusion
8	1	36" S44 Vertical Extrusion



- Steps:**
- 1) Attach horizontals [4,4,5] between verticals [1,2,3]
  - 2) Slide floor between verticals [1,2,3] to rest on [4] and [5].
  - 3) Insert pins into [1,2,3] where shown.
  - 4) Slide shelf between [1,2,3] to rest on pins.
  - 5) Slide infill between [2] and [3].
  - 6) Attach horizontals [6,6,7] between [1,2,3] to secure infill.
  - 7) Lock counter top to [6]. See **Counter Top Lock** detail.
  - 8) Attach vertical [8] to counter top, using bolt.
  - 9) Attach monitor mount to [8]. See **Monitor Mount** detail.
  - 10) Attach monitor to mount, then route monitor cord through conduit. See **Wire Management** detail.



## General Setup Instructions


- Read entire setup instruction manual prior to unpacking parts and pieces.
- The setup instructions are created specifically for this configuration.
- Setup instructions are laid out sequentially in steps, including exploded views with detailed explanation for assembly.

## Cleaning & Packing


- For Cleaning Metal, Plex, & Laminate Parts: Use a **MILD NON-ABRASIVE** cleanser and soft cloth/paper towel to clean all surfaces.
- Keep exhibit components away from heat and prolonged sun exposure. **Heat and UV exposure will warp and fade components.**
- Retain all provided Packing Materials. All provided packing materials are for ease of repacking & component protection.

## Disassembly


- For loss prevention, tighten all set screws and locks during disassembly.




Hex Tool - Essential for Assembly




Part Identification - Numbering




Spline Connection



Base Plate & Extrusion Connection



Extrusion & Lock Connection



Engaged Lock



**WARNING**



DO NOT USE POWER TOOLS



LADDERS OR LIFTS  
MAY BE REQUIRED



ALL CONNECTIONS MUST  
BE TIGHTLY SECURED